




Application No. 10/000,407 Amdt. Dated June 21, 2005 Reply to Office Action of March 23, 2005 Replacement Sheet







```
<xsd:element name="EXPIRATION_DATE" type="xsd:dateTime" minOccurs="0"/>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         <xsd:attribute name="VERSION" type="xsd:decimal" use="optional"/>
                                                                                                                                                                           <xsd:element name="PRESERVATION_RECORD_INDEX" minOccurs="0" maxOccurs="unbounded">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               <xsd:element name="MANUFACTURE" type="xsd:string"/>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       <xsd:element name="DATE_TIME_PRESERVED" type="xsd:dateTime"/>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                           <xsd:element name="OWNERSHIP" type="xsd:string" minOccurs="0"/>
                                                                                                                                                                                                                                                                                                                                                                                                                                          <xsd:element name="FILE_TYPE" type="xsd:string" minOccurs="0"/>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     <xsd:element name="ORIGINATING_SOFTWARE" minOccurs="0">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         <xsd:element name="SCANNER_PERIPHERAL" minOccurs="0">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                </sd:element name="SOURCE_IDENTIFIER" type="xsd:stnng"/>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     <xsd:element name="NAME" type="xsd:string"/>
                                                                                                                                                                                                                                                                                                                                                                                                         <xsd:element name="FILE_NAME" type="xsd:string"/>
                            <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   </xsd:sednence>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            </xsd:complexType>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           <xsd:sednence>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        <xsd:complexType>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             <xsd:sequence>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   <xsd:complexType>
                                                                                                                                                                                                                                                                                                  <xsd:element name="LOGICAL">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 </xsd:element>
                                                                        <xsd:element name="PRESERVATION_CONTENT">
                                                                                                                                                                                                                                                                                                                                                                                 <xsd:sequence>
                                                                                                                                                                                                                                                                                                                                         <xsd:complexType>
                                                                                                                                                                                                                              <xsd:complexType>
                                                                                                                                                                                                                                                                   <xsd:sednence>
<?xml version="1.0" encoding="UTF-8"?>
                                                                                                                                                         <xsq:sedneuce>
                                                                                                                    <xsd:complexType>
```

F1G. 4b

F16.40

```
<xsd:element name="FRAME_NUMBER" type="xsd:unsignedLong"/>
                                                                                                                                                                                                                                                                                                        <xsd:element name="FRAME_ASSOCIATION" type="xsd:string"/>
</pre
                                                                                                                                                                                                                                                         <xsd:element name="ROLE_NUMBER" type="xsd:stnng"/>
                                                                                                                                                                                                                                      <xsd:element name="FILE SIZE" type="xsd:double"/>
                                                                                                                                                                                                                                                                                                                                                                                                                          <xsd:attribute name="Unique_ID" type="xsd:string"/>
                            </xsd:sequence>
                                                      </xsd:complexType>
                                                                                                                                                                   <xsd:element name="PHYSICAL">
                                                                         </xsd:element>
                                                                                                </xsq:sedneuce>
                                                                                                                                                                                                                                                                                                                                </xsd:sedneuce>
                                                                                                                    </xsd:complexType>
                                                                                                                                                                                                                                                                                                                                                       </xsd:complexType>
                                                                                                                                                                                                                 <xsq:sedneuce>
                                                                                                                                                                                          <xsd:complexType>
                                                                                                                                           </xsd:element>
                                                                                                                                                                                                                                                                                                                                                                          </xsd:element>
                                                                                                                                                                                                                                                                                                                                                                                                   </xsd:sequence>
                                                                                                                                                                                                                                                                                                                                                                                                                                                 </xsd:complexType>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                    </xsd:element>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            </xsd:sedneuce>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            </r></r></r>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       </xsd:element>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              </xsd:schema>
```

F16.46

Application No. 10/000,407 Amdt. Dated June 21, 2005 Reply to Office Action of March 23, 2005 Replacement Sheet

```
<DATE_TIME_PRESERVED>2001-04-19T13:20:00.000-05:00</DATE_TIME_PRESERVED>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            <FILE_SIZE>156829</FILE_SIZE>
<ROLE_NUMBER>6B29FC40-CA47-1067-B31D-00DD010662DA</ROLE_NUMBER>
                                                                                                          <PRESERVATION_RECORD_INDEX Unique_ID="6d85c7f291296a49df987680b271c5b9">
                                <PRESERVATION_CONTENT xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"</p>
                                                                                                                                                                                                                                                                                                                                  <EXPIRATION_DATE>2021-04-19T13:20:00.000-05:00
EXPIRATION_DATE>2021-04-19T13:20:00.000-05:00
                                                                         xsi:noNamespaceSchemaLocation="C:\PreservationXML\Preservation_Index.xsd">
                                                                                                                                                                                                                                                                                                                                                                                                                                                <NAME>Preservation Record Management Prototype</NAME>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          <MANUFACTURE>Eastman Kodak</MANUFACTURE>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        <FRAME_NUMBER>7521<FRAME_ASSOCIATION>1 of 1/FRAME_ASSOCIATION>
                                                                                                                                                                                                                                                                                                                                                                         <SOURCE_IDENTIFIER>Scanner</SOURCE_IDENTIFIER>
                                                                                                                                                                                                                                                           <OWNERSHIP>Eastman Kodak Company</OWNERSHIP>
                                                                                                                                                                                 <FILE_NAME>Court record 7-528-257.tif</FILE_NAME>
<FILE_TYPE>TIFF 6.0</FILE_TYPE>
                                                                                                                                                                                                                                                                                                                                                                                                            < ORIGINATING_SOFTWARE VERSION="2.02">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 <MODEL>HR200</MODEL>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   </br>
<?xml version="1.0" encoding="UTF-8"?>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                </PRESERVATION RECORD INDEX>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    </SCANNER_PERIPHERAL>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        <SCANNER PERIPHERAL>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         </PRESERVATION_CONTENT>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            <PHYSICAL>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 </PHYSICAL:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     </LOGICAL>
                                                                                                                                                 <LOGICAL>
```

F16.5





FIG. 6 (PRIOR ART)



```
<ROLE_NUMBER>6B29FC40-CA47-1067-B31D-00DD010&2DA</ROLE_NUMBER>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                            <ROLE NUMBER>6B29FC40-CA47-1067-B31D-00DD010662DA<ROLE_NUMBER>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     <ROLE_NUMBER>6B29FC40-CA47-1067-B31D-00DD010662DA</ROLE_NUMBER>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               <FRAME_ASSOCIATION>1 of 1FRAME_ASSOCIATION>
                                                                                                                                                                                                                      <FRAME_ASSOCIATION>1 of 1<FRAME_ASSOCIATION>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          <FRAME_ASSOCIATION>1 of 1frame_association>
                                                   <FILE_NAME>Court record 7-528-257.tif
FILE_TYPE>TIFF 6.0
FILE_TYPE>
                                                                                                                                                                                                                                                                                                                                                            <FILE_NAME>Court record 5-128-257.tif</FILE_NAME>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       <FILE_NAME>Court record 5-128-258.tif</FILE_NAME>
                                                                                                                                                                                          <FRAME_NUMBER>7521</FRAME_NUMBER>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       <FRAME_NUMBER>7522</FRAME_NUMBER>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  <FRAME_NUMBER>7523</FRAME_NUMBER>
<FRAME_INDEX ID="6d85c7f291296a49df987680b271c5b9">
                                                                                                                                                                                                                                                                                                     <FRAME_INDEX ID="8f91d9a180187b38eg796689c382b8g7">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  <FRAME_INDEX ID="9f73:51290265r28wx607793y222c6w4">
                                                                                                                                                                                                                                                                                                                                                                                           <FILE_TYPE>TIFF 6.0</FILE_TYPE>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     <FILE_TYPE>TIFF 6.0</FILE_TYPE>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          </PHYSICAL>
                                                                                                                                                                                                                                                </PHYSICAL>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   </PHYSICAL>
                                                                                                                                       <PHYSICAL>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         <PHYSICAL>
                                                                                                                                                                                                                                                                                                                                                                                                                      </LOGICAL>
                                                                                                                                                                                                                                                                                                                                                                                                                                                  <PHYSICAL>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               </LOGICAL>
                                                                                                                                                                                                                                                                                                                                   <LOGICAL>
                        <LOGICAL>
                                                                                                           <LOGICAL>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 </FRAME_INDEX>
                                                                                                                                                                                                                                                                           </FRAME_INDEX>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        </P>
```

F16.8a

<ROLE_NUMBER>6B29FC40.CA47.1067.B31D-00DD010662DA <FRAME_NUMBER>7521<FRAME_ASSOCIATION>1 of 1FRAME_ASSOCIATION> <FILE_NAME>Court record 7.528-257.tif</FILE_NAME> <FRAME_INDEX ID="9f73r5t290265r28wx607793y222c6w4"> <FRAME_INDEX ID="6d85c7f291296a49df987680b271c5b9"> <FILE_TYPE>TIFF 6.0</FILE_TYPE> </PHYSICAL> <PHYSICAL> </LOGICAL> <LOGICAL> </P>

</PHYSICAL>

</FRAME_INDEX>

<PHYSICAL>

<LOGICAL>

F1G.86